

A close-up photograph of a person's hands wearing yellow and blue Spontex gloves. The person is using a green microfiber cloth to clean a white, textured surface, likely a piece of industrial equipment. The background is blurred, showing more of the same equipment.

## GENERAL CATALOGUE

PARTNERS FOR SURFACE **HYGIENE**  
AND **HAND PROTECTION**




# OUR WELL KNOWN BRANDS: MAPA & SPONTEX

## THE STRENGTH OF THE EXPERIENCE



Spontex Professional's expertise covers not only the production of cellulose sponge products, but also the manufacture of wiping products, abrasives and nonwoven textiles. In order to meet the needs of professionals we have developed a range of technical products which deliver increased efficiency and productivity, storage issue solutions and ergonomic cleaning.



Spontex Factory  
Beauvais  
France



## PROTECTIVE GLOVES MARKET LEADER



Mapa Professional is committed to offering companies **innovative solutions** for protecting the hands which meet users needs.

We centre our brand around the **health and safety** of users at their workplace.  
Our offer meets requirements for **comfort** and **protection** for risks in the Professional environment.

## HAND PROTECTION BEYOND THE GLOVE

We have a team dedicated to understanding the needs of our users. Designing solutions for applications for a wide variety of industries.

## CERTIFICATIONS OF OUR FACTORIES



Quality management systems



Consumer products certification



Environmental management systems



**1 Customer Engineering Departments**  
stc.mapaspontex@newellco.com



**2 R&D Centres**  
(60 engineers and technicians)



**In-house production**  
(3 factories worldwide)



**1 Application laboratory**  
Exclusive testing at our in-house laboratory, where we go above and beyond standard regulatory testing to reproduce real life, in-house working conditions. Focusing on grip, durability, dexterity, thermal and breathability.

# OUR ECOVADIS PERFORMANCE



## ECOVADIS GOLD MEDAL

MAPA SAS group is pleased to announce that we have been awarded the **2023 EcoVadis Gold medal** for its advanced sustainability performance.

We raised up our overall score to **70/100** ranking in the top 3% among the 623 companies audited by EcoVadis in the manufacturing of rubber sector.



## ECOVADIS RATING GOLD - ENVIRONMENT

Numerous policies and KPIs have enabled attentive management of environmental issues relating to Mapa SAS's businesses and the implementation of an eco design initiative.

## ECOVADIS RATING - LABOR AND HUMAN RIGHTS

The company boasts a clear employee health and safety policy. 100% of Mapa Spontex Professional factories are ISO 45001 certified (management of health and safety at work) and the majority of our Spontex Professional and Mapa Profesional factories are subject to an annual third-party social audit. Also, procedures to prevent child or forced labor are in place in our factories.




## ECOVADIS RATING - ETHICS

All employees have signed the employee code of conduct which states our Ethics policy. Audits, trainings, and alert measures have been implemented to fight against corruption, or bribery and protect data security.

## ECOVADIS RATING - SUSTAINABLE PROCUREMENT

As well as annually auditing business suppliers in risk areas, Mapa SAS requires all suppliers to sign up to a strict code of conduct from a social and environmental perspective. In this performance area, Mapa SAS forms part of the top 2% of companies assessed by EcoVadis in their industry.



# SYMBOL GUIDE


## ► ENVIRONMENTS



OFFICES &  
PUBLIC  
ESTABLISHMENTS



HORECA



MANUFACTURE



HEALTH CARE



TRANSPORTATION  
& LEISURE


## + PRODUCT ADVANTAGES



SUSTAINABLE



QUALITATIVE



ABSORBING



TEAR RESISTANT



EASY TO USE



WASHABLE



STOP GREASE



FOOD  
CONTACT



COMPOSTABLE



PEFC



COLOURANT-  
FREE



ECO-MANAGED  
FORESTS

## ► PRECAUTION OF USE



Washable



Suitable for  
whitening



Tumble dry  
at 60°C



Ironing



Dry cleaning



Do not wash



Not suitable  
for whitening



Do not tumble dry



Do not iron



Do not dry clean



Fragile surfaces



Do not use on fragile  
surfaces



Must wear gloves



Bleach  
(g/l active chlorine)




Bleach (g/l active  
chlorine) prohibited



# Our product selections **MADE IN EUROPE**

## PRODUCTS MANUFACTURED IN OUR PLANTS IN FRANCE



### ► Azella

Absorbent sponges



### ► Sponrex

Scouring sponges



## PRODUCTS MANUFACTURED IN OUR PLANTS IN SPAIN



### ► Mercury

Scouring pads and rolls



### ► Spongyl

Cellulosic sponge cloths



### ► Apollo

Mop 1027



## PRODUCTS MANUFACTURED IN OUR PLANT IN HUNGARY



### ► Planet

Non-woven gauzes



# Our commitment to the planet

## DEFINITION OF ECO-DESIGN

Eco-design refers to the integration of environmental criteria from the design phase of a product in order to improve its environmental performance throughout its life cycle, while maintaining its qualities of use and performance.

At Spontex Professional, we adopt an eco-design approach to reduce the impact of our products. As far as raw materials are concerned, we give preference to recycled materials (e.g. recycled fibres for our scourers) and natural materials from sustainably managed forests.

We also endeavour to extend the life of our products as much as possible by trying to find ways of reusing them at the end of their life (biodegradation, composting, recycling, etc.)

## WHAT IS COMPOSTING?



Composting is a process whereby **organic waste is fermented and transformed** in the presence of oxygen. It produces a stabilised, humus-rich fertiliser: **compost**. It is widely used in gardening and agriculture as a soil improver, giving back to the earth some of what has been taken from it by nourishing it without the need to use chemicals.

## CRITERIA FOR COMPOSTING

1/ CHARACTERISATION 2/ BIODEGRADABILITY 3/DISINTEGRATION 4/ECOTOXICITY

**BIODEGRADATION** consists of **THE DECOMPOSITION** (fragmentation and assimilation) of a material under the action of microorganisms (e.g. bacteria, fungi) resulting in the formation of water, carbon dioxide, methane and biomass that do not represent any danger to the environment. It can be anaerobic (without oxygen) or aerobic (in the presence of oxygen).



**BE CAREFUL! A BIODEGRADABLE PRODUCT IS NOT ALWAYS COMPOSTABLE.** To be compostable, it must also break up and not have a negative effect on the quality of the compost.



Our **Spontex PROFESSIONAL** cellulose sponges (non-scouring) are all compostable\*.

\* The sponges are home compostable after rinsing.



# With **Spontex** PROFESSIONAL, let's act together for a better planet !

At Spontex Professional, we're committed to offering cleaning tools that are simply effective, while reducing their impact on the environment.

Spontex Professional, presents its eco-designed range specially developed for professionals.

**We believe that every bit counts !**



Made in France\*

**NEW**

**AZELLA 100\***



**A brand new sustainable cleaning sponge introduced for the professional market**

**100%**  
Vegetal  
origin

**0%**  
Added  
colourant

**Reusable**  
Machine-washable  
Up to **11** cycles  
60°C


**Compostable\*\***



Can be used in all **type of food environments**

\*\* The sponge is home compostable after rinsing. Do not throw into the environment.

**SPONREX 100\* & MERCURY 100**



Can be used in all **type of food environments**

**Sustainable scourer and bi-functional sponge which overturn professional markets codes**

**100%**  
Vegetal  
origin\*\*\*


**0%**  
Added  
colourant

**Reusable**  
Machine-washable  
Up to **11** cycles  
60°C

**100%**  
Recycled fibres  
Scourer made from polyester and walnut shells.

\*\*\*Cellulose part

**MF PRO RECYCLED**



**Sustainable woven knitted microfibres for multi-usage applications with or without water & detergents**

**Recycled fibres**

**Less colourants**  
Light-shades colours



**Highly durable**  
Machine-washable  
Up to **500** cycles  
60°C



**1 microfibre =**  
**Made of 5 recycled**  
**50cl plastic bottles**



Can be used in all **type of food environments**



# OUR CLEANING TOOLS







100% RECYCLED FIBRES  
0% ADDED COLOURANT

## ► Sponrex

SCOURING SPONGE MADE UP OF  
AN ABRASIVE CLOTH LAMINATED  
ON A CELLULOSIC SPONGE

A product adapted to the diversity of needs:  
several sizes, different degrees of abrasiveness.

- Sponge part: vegetal origin.
- Abrasive part: 100% recycled fibres.



SPONREX 100



- **Bi-functional products (time-saving) washing and scouring**
- **Excellent absorption capacity: 20 times its dry weight**
- **Easy to rinse and clean**



60°C

### TYPE OF PRODUCT

Cellulose scouring sponge.

### COMPOSITION

Sponge part: Pigment\*, plasticiser, water, cellulose  
Abrasive part: Latex, glue, synthetic fibres,  
abrasive charges

### INSTRUCTIONS FOR USE

Rinse the sponge before its first use to eliminate  
the plasticiser. Rinse and wring out after use.



1g/l

### PRECAUTIONS FOR USE



SPONREX 31



SPONREX 79



SPONREX 52



SPONREX 74



SPONREX 33



**ERGONOMIC  
EASY TO HANDLE**



SPONREX 92



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
RECTANGULAR SCOURER						
SPONREX 100	95000116	3384129501165	Rectangular recycled scourer	128 x 84 x 26 mm	White/Brown	10 pieces/bag 6 bags/carton
SPONREX 31	95020031	0697482000316	Rectangular soft scourer	130 x 84 x 28 mm	White/Pink	
SPONREX 79	95020079	0697482000798			White/Blue	
SPONREX 52	95020052	0697482000521	Small sponge	110 x 70 x 28 mm	Green/Yellow	
SPONREX 74	95020074	0697482000743	Large sponge	130 x 84 x 28 mm	Green/Yellow	
ERGONOMIC SCOURER						
SPONREX 33	95020033	0697482000330	Ergonomic scourer	148 x 80 x 28 mm	Green/Yellow	10 pieces/bag 6 bags/carton
SPONREX 92	95020092	0697482000927		148 x 80 x 29 mm	Red/Yellow	


\*except Sponrex 100



Made in Spain

## ► Astree

NON-WOVEN LAYER OF ABRASIVE  
SYNTHETIC FIBRES  
ON POLYURETHANE FOAM



ASTREE 21



- Remove all stains from a variety of surfaces and items
- Good grip and hand protection (Astree 21)
- Very good tensile and wear resistance (Astree 54)
- Bi-functional products (time-saving) washing and scouring



60°C

### TYPE OF PRODUCT

General scourer.

### COMPOSITION

Sponge part: Polyurethane foam  
Scouring part : Abrasive fillers, Adhesive, Latex,  
Pigment, Synthetic fibres



ASTREE 54

### INSTRUCTIONS FOR USE

Use liquidproof gloves while working in contact with water or chemicals.  
Rinse the product before the first use.  
Proceed to test on a hidden surface prior to its use.  
Rinse and wring after use.  
Machine washable up to 60°C.

### PRECAUTIONS FOR USE



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
ASTREE 21	95020021	0697482000217	Scouring sponge	140 x 68 x 48 mm	Green/ Yellow	6 pieces/bag 10 bags/carton
ASTREE 54	95020054	0697482000545		140 x 90 x 34 mm	Green/ Yellow	

### ENVIRONMENTS FOR OUR WASHING PRODUCTS:



OFFICES &  
PUBLIC  
ESTABLISHMENTS



HORECA



MANUFACTURE



HEALTH CARE



TRANSPORTATION  
& LEISURE





Made in Spain

## ► Mercury

NON-WOVEN WEB OF FIBRES  
RESIN-BONDED SYNTHETICS AND  
SPRAYED WITH ABRASIVE CHARGES

Different types of scouring

- Delicate
- General
- Heavy duty



**+** • 100% Recycled fibres



60°C



6M ROLL



MERCURY ROLL 100



### TYPE OF PRODUCT

Abrasive cloth.

### INSTRUCTIONS FOR USE

Can be used in a wet environment for greater efficiency.  
Rinse before first use and after each use.

### COMPOSITION

Abrasive Fillers, Latex, Pigment\*,  
recycled synthetic fibres

\*Except Mercury Roll 100



1g/l

### PRECAUTIONS FOR USE


DOES NOT RUST




MERCURY 35



MERCURY 24



MERCURY 96



MERCURY 44



MERCURY 84



MERCURY 76

Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
GENERAL SCOURING						
MERCURY ROLL 100	95020048	3384120200487	6000 mm cut-to-size roll	6000 x 150 x 8 mm	Brown	1 piece/bag 10 bags/carton
MERCURY 35	95010035	0697482000354	3000 mm cut-to-size roll	3000 x 150 x 8,5 mm	Green	1 piece/bag 6 bags/carton
MERCURY 24	95010024	0697482000248	5000 mm cut-to-size roll	5000 x 150 x 8,5 mm		
MERCURY 96	95010096	0697482000965	Small pad	150 x 120 x 7,5 mm		20 pieces/bag 8 bags/carton
MERCURY 44	95020044	0697482000446	Large format scourer	225 x 150 x 7,5 mm		10 pieces/bag 10 bags/carton
HEAVY DUTY SCOURING						
MERCURY 84	95080084	0697482000842	3000 mm cut-to-size roll	3000 x 150 x 8,5 mm	Black	1 piece/bag 6 bags/carton
DELICATE SCOURING						
MERCURY 76	95010076	0697482000767	Large pad	230 x 150 x 7,5 mm	White	10 pieces/bag 8 bags/carton

# SCOURING

## Balls - Pads

NEW

### ► Superinox

STAINLESS STEEL BALL MADE OF A TWISTED WIRE COILED IN A SPIRAL

For difficult scouring of equipments and hard surfaces. Very good resistance. Will not scratch hard surfaces (stainless steel, glass).



DOES NOT RUST



- Very handy, cleans into those hard to reach areas
- High quality stainless steel
- Does not release particles
- 100% stainless



#### TYPE OF PRODUCT

Stainless steel ball.

#### COMPOSITION

Stainless Steel

#### INSTRUCTIONS FOR USE

Can be used in a wet environment for greater efficiency. Rinse before first use. Rinse well after each use, spreading the threads apart.

#### PRECAUTIONS FOR USE



### ► Superinox Pad

LARGE, DURABLE AND HYGIENIC STAINLESS STEEL PAD FOR EFFICIENT SCOURING

Practical two-sided abrasive cleaner removes stubborn stains from all surfaces and equipment.



DOES NOT RUST



- Large format
- Hygienic, it releases no particles, leaves no residue, and its hook optimal drying conditions
- Easy to use and handle thanks to optimal grip
- Long service life



60°C

#### TYPE OF PRODUCT

Steel scourer.

#### COMPOSITION

Stainless steel, polyurethane, polyester

#### INSTRUCTIONS FOR USE

Can be used in wet environment for greater efficiency and with detergent for maximum efficiency. Rinse before first use. Rinse well after each use.

#### PRECAUTIONS FOR USE



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
SUPERINOX 27	95030027	3384129501271	Small stainless steel scourer	40 grams	Steel Grey	10 pieces/bag 6 bags/carton
SUPERINOX 50	95030050	3384129501509	Large stainless steel scourer	60 grams		
SUPERINOX PAD	95030091	3384120330665	Scouring pad	135 x 90 x 18 mm	Blue	5 pieces/bag 12 bags/carton





Made in France

## ► Azella

### CELLULOSE MADE FROM NATUREL FIBRES

Complete range of sponges (wet, compressed) to meet a wide variety of cleaning needs.

Traditional bordered sponges have an exclusive Spontex treatment for increased resistance to bleach.

- High quality and good tear resistance
- **Absorbs up to 20 times its dry weight**
- **Large porosities:** optimal absorption and easy wringing



AZELLA 100



A SUSTAINABLE SPONGE FREE OF COLOURING

#### DID YOU KNOW?

Cellulose is **100% plant-based** (wood pulp and natural fibres) and **100% compostable**.



60°C



### TYPE OF PRODUCT

Dry or wet cellulose sponge.

### COMPOSITION

Cellulose, pigment

### INSTRUCTIONS FOR USE

Rinse the sponge before and after each use.

Machine washable at 60°C with a liquid detergent.

This operation can be carried out many times without damaging the intrinsic qualities of the product.

### PRECAUTIONS FOR USE



1g/l



AZELLA 93



AZELLA 09



AZELLA 86



AZELLA 60

Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
<b>ECO-DESIGNED SPONGE</b>						
AZELLA 100	95000129	3384120001299	Wet sponge free of coloring	128 x 83 x 28 mm	White	10 pieces/bag 6 bags/carton
<b>WET TRADITIONAL</b>						
AZELLA 93	95900093	0697482000934	Wet traditional N°6	145 x 101 x 36 mm	Yellow	10 pieces/bag 8 bags/carton
AZELLA 09	95030009	0697482000095	Wet traditional N°8	160 x 123 x 38 mm	Yellow	
AZELLA 86	95900086	0697482000866	Wet traditional N°4	145 x 101 x 27 mm	Yellow	10 pieces/bag 8 bags/carton
<b>OVER 90% EXTRA SPACE WITH COMPRESSED SPONGES</b>						
AZELLA 60	95030060	0697482000606	Compressed Tradition N°4	<b>S</b> : 115 x 31 x 6 mm <b>H</b> : 135 x 90 x 33 mm	Yellow	10 pieces/bag 24 bags/carton

**S** : dry dimensions - **H** : wet dimensions

### ENVIRONMENTS FOR OUR WASHING PRODUCTS:



OFFICES & PUBLIC ESTABLISHMENTS



HORECA



MANUFACTURE



HEALTHCARE



TRANSPORTATION & LEISURE

# CROSS CONTAMINATION & COLOUR-CODED SYSTEM

## WHAT IS CROSS CONTAMINATION?

It is the act of moving bacteria or soils to areas that could be exposed to humans.  
It could potentially harm the individuals involved in these areas.



In order to answer customers needs and continue implementing best practices, Mapa Spontex Professional is offering colour-coded cleaning tools.



Colour-coded cleaning tools help to increase operator productivity and deliver comfort, whilst avoiding cross contaminating areas and limiting the spread of germs and bacteria between areas. This also quickly and easily ensures that the right cleaning tool is used in the right environment, while helping distinguish critical areas and HACCP control points.



## COLOUR IS THE MOST EFFECTIVE WAY TO PREVENT CROSS CONTAMINATION

**Mapa Spontex Professional recommends\* the following colour coding system:**

FOR CLINICAL,  
TREATMENT AND  
ISOLATION AREAS



**YELLOW**

FOR SANITARY  
APPLIANCES AND  
WASHROOM AREAS



**PINK & RED**

FOR GENERAL  
AREAS EXCLUDING  
WASHROOMS AND  
CLINICAL AREAS



**BLUE**

FOR GENERAL FOOD  
AND DRINK AREAS




**GREEN**

\*Recommended colour system can change by business area and application as defined by BICS organisation.




# WHAT IS MICROFIBRE?

**Cotton** only repels dust and liquids, leaving surfaces damp and dirty.



Standard fabric

VS



Microfibre

**Microfibre** catches and holds dust, leaving surfaces clean, dry and polished.

## WHAT ARE THE USES FOR SPONTEX PROFESSIONAL MICROFIBRES?

Wet use	Dry use
Wiping • Absorbing Degreasing • Cleaning stains	Dusting Removing fingerprint smudges

### SPONTEX PROFESSIONAL MICROFIBRES REMOVE 99% OF BACTERIA

For optimal use of microfibres and to reduce the risk of cross-contamination during the cleaning process, Mapa Spontex Professional recommends that you follow the steps below:



Fold the microfibre  
in 4.



Use both sides to  
clean the surface.



Open the microfibre and fold  
it to clean with the unused  
sides.

Use all  
**8 sides**  
and keep track of  
which sides have  
been used  
to avoid cross-  
contamination.

## HOW SHOULD THEY BE MAINTAINED?

- Spontex Professional microfibres have **excellent durability** and can be **machine washed up to 500 cycles at 60°C**
- Also washable in an **autoclave at 121°C**
- Do not wash with softeners

### PRECAUTIONS FOR USE



19/1

### INSTRUCTION FOR USE

A pre-wash aids cleaning



### ► MF Pro Recycled

RECYCLED MICROFIBRES, IDEAL FOR ALL TYPES OF SURFACES

- Removes 99% of bacteria and leaves no residue
- Ultra-fast wiping and good absorption capacity (400%)
- Excellent durability: up to 500 washing cycles at 60°C
- Can be used with 96% Ethanol & bleach at a concentration of 28g/l active chlorine
- Can be used in an AutoClave at 121°C for 15 minutes



60°C

DID YOU KNOW?

1 MF Pro Recycled  
= 5 recycled bottles



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
MF PRO RECYCLED	95000119	3384129501196	Microfibres 300 g/m <sup>2</sup> 85% polyester, 15% polyamide	400 x 380 mm	Red	5 pieces/bag 24 bags/carton 120 pieces/carton
	95000120	3384129501202			Yellow	
	95000118	3384120001183			Green	
	95000117	3384129501172			Blue	

### ► MF Pro Multiclean

COLOUR CODED MICROFIBRES WOVEN CLOTHS FOR ALL TYPES OF SURFACES

- Removes 99% of bacteria
- Very good resistance to bleach at a concentration of 28g/l active chlorine
- Good capacity of absorption 600%
- High resistance to Alcohol (Ethanol 99%)
- High durability (up to 500 washing cycles at 60°C)
- Washable in autoclave at 121°C



60°C

Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
MF PRO MULTICLEAN	95000113	3384120001138	Microfibres 250 g/m <sup>2</sup> 85% polyester, 15% polyamide	400 x 380 mm	Red	5 pieces/bag 24 bags/carton 120 pieces/carton
	95000112	3384121218092			Yellow	
	95000114	3384121218115			Green	
	95000115	3384121218108			Blue	

### ► Ariane Ultra

VERY RESISTANT WOVEN MICROFIBRES WITH EDGES OVERLOCKED

Long life and great flexibility of use, respect for delicate surfaces, leaves no residue. Superior dust removal efficiency and easy cleaning, velvet touch.



60°C



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
ARIANE ULTRA 1222	95091222	3384129512222	Woven microfibre 200 g/m <sup>2</sup> Polyester, Polyamide	360 x 360 mm	Green	5 pieces/bag 12 bags/carton

# WIPING

## Non-woven

### ► Stellair

NON-WOVEN OF SYNTHETIC FIBRES  
LATEX-BONDED AND WATER-JET BONDED

Flexible and strong. Optimal rinsing.  
Good service life. Colour coded by location of use.



**+** Its perforated texture makes it easy to collect dirt and rinse off



#### TYPE OF PRODUCT

Open structured non-woven cloths.


#### COMPOSITION

Polyester, Viscose, Pigment

#### INSTRUCTIONS FOR USE

Damp use for routine and long-term cleaning of surfaces. Rinse before first use. Rinse and wring out after each use.

#### PRECAUTIONS FOR USE



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
STELLAIR 1008	95061008	0697480010089	Open structured non-woven cloths 80 g/m <sup>2</sup>	510 x 360 mm	Green	25 pieces/bag 6 bags/carton
STELLAIR 1081	95061081	0697480010812			Yellow	
STELLAIR 1172	95061172	0697480011727			White	
STELLAIR 1213	95061213	0697480012137			Pink	
STELLAIR 1361	95061361	0697480013615			Blue	

### ► Solonet

MULTIPLE WORKING APPLICATIONS  
APPROPRIATE FOR DELICATE SURFACES



**+** • All purpose cloths  
• Excellent absorption: >600% dry weight  
• Ideal for short service life



#### TYPE OF PRODUCT

Resin bonded non-woven 45 g/m<sup>2</sup>.

#### COMPOSITION

Viscose, Polyester

#### INSTRUCTIONS FOR USE

Use wet for normal and long term cleaning of surfaces. Rinse before first use. Rinse and wring out after each use.

#### PRECAUTIONS FOR USE



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
SOLONET 1001	95021001	0697482010018	500 cloths, non-woven roll, 45g/m <sup>2</sup>	190 m Removable parts : 370 x 270 mm	Blue	2 rolls/pack



# WIPING

## Sponge cloths - Rolls



Made in Spain

### ► Spongyl

CELLULOSIC SPONGE CLOTH  
MADE FROM WOOD PULP AND  
REINFORCED WITH A COTTON GRID

Excellent absorption and resistance capacity due  
to cellulose material and cotton grid.  
Colour-coded by location of use.  
Available in various sizes.



- Easy to handle
- High wiping efficiency: fine porosity
- Absorbs up to 13 times its dry weight
- Biodegradable cloths\*



60°C

#### TYPE OF PRODUCT

Sponge cloth.

#### INSTRUCTIONS FOR USE

Rinse before using for the first time. Rinse and wring out after use.  
Preliminary wringing improves wiping ability.

#### COMPOSITION

Cellulose, Water, Fungicide,  
Pigment, Plasticiser

#### PRECAUTIONS FOR USE



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
SPONGYL 57	95010057	0697482000576			Yellow	
SPONGYL 26	95010026	0697482000262			Pink	10 pieces/bag
SPONGYL 87	95010087	0697482000873			Blue	12 bags/carton
SPONGYL 51	95010051	0697482000514			Green	
SPONGYL 66	74166000	8001700074164	Regular cellulosic sponge	200 x 185 x 4 mm	Mixed colour packs: Blue, Yellow, Orange	5 pieces/bag

Cellulosic sponge roll absorption mat. For draining dishes and utensils.  
Acoustic insulation in kitchens. Can be used for spillages on floors.



SPONGYL 36



SPONGYL 47



SPONGYL 66

Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
SPONGYL 36	95010036	0697482000361	Large Sponge Roll	620 x 400 x 5,2 mm	Rose, Bleu, Green	5 pieces/bag 4 bags/carton
SPONGYL 47	95010047	0697482000477	2m Sponge Roll	2000 x 620 x 5,2 mm	Green	1 piece/bag 15 bags/carton

\* Except spongyl 66 (synthetic grid)

#### ENVIRONMENTS FOR OUR WIPING PRODUCTS:



OFFICES &  
PUBLIC  
ESTABLISHMENTS



HORECA



MANUFACTURE



HEALTHCARE



TRANSPORTATION  
& LEISURE

# FLOORS

## Non-woven gauzes



Made in Europe

### ► Planet



#### FLAT GAUZE NON-WOVEN FIBRE SYNTHETIC FLOOR CARE PRODUCTS

Suitable for small, medium and large surfaces.  
Hospital grade.

SUITABLE FOR  
SMALL AREAS



PLANET PLUS 67

#### DID YOU KNOW?

The impregnation rate  
of Planet Plus is 32%.

- Excellent dust retention rate
- Efficiency and hygiene




### ► Apollo



#### FLOOR CARE AND CLEANING

Non-woven mop made of cellulosic and synthetic fibres.



APOLLO 1027

- Excellent wear resistance
- Very good absorption capacity
- Flexible and easy to handle for greater precision



60°C

#### TYPE OF PRODUCT

Non-woven gauze.

#### COMPOSITION

Polypropylene, food-grade, paraffin oil

#### INSTRUCTIONS FOR USE

Ready to use. Optimal use of one gauze per area: avoids cross-contamination. Easy attachment to a flat brush up to 60cm in length. Discard the product after use.  
Not to be used with water or chemical liquids.

#### PRECAUTIONS FOR USE



#### TYPE OF PRODUCT

Non-woven fabric of resin bonded fibres.

#### COMPOSITION

Polyester, viscose

#### INSTRUCTIONS FOR USE

Rinse the product before first use. Drain after use.  
Dry with flat strips.

#### PRECAUTIONS FOR USE



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
<b>THE IMPREGNATES</b>						
PLANET PLUS 67	95020067	0697482000675	Impregnated gauze 20g/m <sup>2</sup>	600 x 300 mm	Pink/White	50 pieces/bag 20 bags/carton
PLANET PLUS 14	95020014	0697482000149		600 x 240 mm		
PLANET PLUS 55	95020055	0697482000552	Impregnated gauze 38g/m <sup>2</sup>	600 x 300 mm	Yellow/White	50 pieces/bag 10 bags/carton
<b>THE NON IMPREGNATED ONES</b>						
PLANET 73	95020073	0697482000736	Non-Impregnated gauze 18g/m <sup>2</sup>	600 x 300 mm	White	50 pieces/bag 20 bags/carton
<b>APOLLO</b>						
APOLLO 1027	95011027	0697482010278	Mops 250 g/m <sup>2</sup>	380 x 145 mm	Blue	6 pieces/carton
APOLLO SUPERMOP	95000902	3384129509024	Mop professional large	Length 560 mm	White	15 pieces/carton

\* Except Apollo supermop



# OUR PROTECTIVE GLOVES





# Regulation (EU) 2016/425

## Why a PPE Regulation?

Protective gloves are PPE (Personal Protective Equipment) and must comply with the European Regulation 2016/425 in order to freely circulate within the European Union.

The Regulation 2016/425 contains the requirements that PPE must satisfy to guarantee the health and safety of users. That means that PPE must protect up to the required levels without compromising the user's health.

Harmonised European standards (EN 388, EN ISO 374-1...) are used in the certification process to assess conformity of the product to the requirements of the PPE Regulation in relation to the risks against which the product is intended to offer protection.

The manufacturer must indicate the conformity of the product by CE marking it. He must also provide EU declaration of conformity.

## PPE Regulation (EU) 2016/425

This European Regulation was implemented on 21 April 2018. It replaced the European Directive 89/686/EC, which was withdrawn on this same date.

## Regulation (EU) 2016/425 and Directive 89/656/EEC

Regulation (EU) 2016/425 stipulates the essential health and safety requirements for designing and manufacturing PPE, as well as the responsibility of manufacturers or importers and conformity procedures to affix the CE marking on PPE. Directive 89/656/EEC is dedicated to professional users of PPE. It lays down the responsibilities of employers to supply their employees with adequate CE-marked PPE and ensure their safe use.

## CATEGORIES OF RISK AND CORRESPONDING CERTIFICATION PROCEDURE

### CAT 1

Minimal risks only. The manufacturer is responsible for the conformity of its products.

### CAT 2

Risks other than CAT 1 and CAT 3. CE-certificate of conformity obtained from a Notified Body.















### CAT 3

Risks causing irreversible damage to health. CE-certificate of conformity and conformity of the production from Notified Bodies.



# How to read the standards

The following pictograms can help you understand the performance characteristics of a glove:

MECHANICAL PROTECTION	CHEMICAL AND MICRO-ORGANISMS PROTECTION		OTHERS	THERMAL PROTECTION	
<div>MECHANICAL HAZARDS EN 388</div> <div></div> <div>4 3 4 3 C (P)</div> <div><div><div></div><div></div><div></div><div></div></div><div>Protection against impacts (P)</div><div>From A to F ISO 13997 cut resistance</div><div>From 0 to 4 Puncture resistance</div><div>From 0 to 4 Tear resistance</div><div>From 0 to 5 Couptest cut resistance</div><div>From 0 to 4 Abrasion resistance</div></div>	<div>CHEMICAL PROTECTION EN ISO 374-1</div> <div><div>EN ISO 374-1 / TYPE A</div><div></div><div>U V W X Y Z</div><div>Resistance to penetration EN 374-2</div><div>Breakthrough time ≥ 30 min for at least 6 chemicals on the list (EN 16523-1)</div></div> <div><div>EN ISO 374-1 / TYPE B</div><div></div><div>X Y Z</div><div>Resistance to penetration EN 374-2</div><div>Breakthrough time ≥ 30 min for at least 3 chemicals on the list (EN 16523-1)</div></div> <div><div>EN ISO 374-1 / TYPE C</div><div></div><div></div><div>Resistance to penetration EN 374-2</div><div>Breakthrough time ≥ 10 min for at least 1 chemical on the new list (EN 16523-1)</div></div> <div>Degradation test according to EN 374-4 is undertaken without performance level requirement</div> <div>LETTER CODE</div> <div><div><div>A Methanol</div><div>B Acetone</div><div>C Acetonitrile</div><div>D Dichloromethane</div><div>E Carbon disulphide</div><div>F Toluene</div></div><div><div>G Diethylamine</div><div>H Tetrahydrofuran</div><div>I Ethyl acetate</div><div>J n-Heptane</div><div>K Sodium hydroxide 40%</div><div>L Sulphuric acid 96%</div></div><div><div>M Nitric acid 65 %</div><div>N Acetic acid 99%</div><div>O Ammonia 25%</div><div>P Hydrogen peroxide 30%</div><div>S Hydrogen fluoride 40%</div><div>T Formaldehyde 37%</div></div></div> <div>MICRO-ORGANISMS PROTECTION EN ISO 374-5</div> <div><div>The gloves must pass the penetration resistance test EN 374-2.</div><div>If virus protection is claimed, glove has to pass ISO 16604 method B (Phi-X174 bacteriophage)</div><div><div>EN ISO 374-5</div><div></div><div>For gloves protecting against bacteria and fungi.</div></div><div><div>EN ISO 374-5</div><div></div><div>For gloves protecting against bacteria, fungi and viruses.</div></div></div> <div><div>RADIOACTIVE CONTAMINATION EN 421</div><div></div><div>WITH NO PERFORMANCE LEVELS</div><div>PROTECTION AGAINST PESTICIDES ISO 18889</div><div><div></div><div>ISO 18889 G1</div><div>Resistance to diluted pesticides/ no mechanical risk</div></div><div><div></div><div>ISO 18889 G2</div><div>Resistance to diluted and concentrated pesticides/ mechanical risk</div></div><div><div></div><div>ISO 18889 GR</div><div>Re-entry tasks</div></div><div>PROTECTION AGAINST STATIC ELECTRICITY EN 16350</div><div></div></div> <div><div>COLD HAZARD EN 511</div><div></div><div>3 2 1</div><div><div></div><div>0 or 1 Water permeability</div><div>From 0 to 4 Contact cold resistance</div><div>From 0 to 4 Convective cold resistance</div></div><div><div>HEAT AND FIRE EN 407</div><div></div><div>X 2 X X X X</div><div><div></div><div>From 0 to 4 Resistance to large quantities of molten metal</div><div>From 0 to 4 Resistance to small drops of molten metal</div><div>From 0 to 4 Radiant heat resistance</div><div>From 0 to 4 Convective heat resistance</div><div>From 0 to 4 Contact heat resistance</div><div>From 0 to 4 Limited flame spread</div></div></div></div>				

\*X: the test does not apply or the glove has not been tested

## RISK

Combination between contact time and the aggressiveness of the chemical being handled.

Choose the performances of your gloves based on the type of risk:

### splashes

Chemical substances diluted by immersion or splashes of aggressive substances

### frequent contact

Pure or mixed chemical substances in frequent contact

### prolonged contact (or immersion)

Pure or mixed chemical substances in frequent contact

## WEAR TIME

Identifies the comfort level required by the operator the longer the wear time, the more comfortable the glove needs to be (perspiration, flexibility/fatigue).

### short wear

Chlorinated interior finish

### intermittent wear

Flocked interior finish

### continuous wear

Fabric-lined interior finish

### ultra-comfort wear

Mapa exclusive technology providing greater flexibility

## TEMPERATURE

According to the temperature of the objects to be handled



Temperature - 10°C



Temperature up to 150°C



Temperature above 150°C

## CONTACT TIME



short contact



prolonged contact

# LIQUIDPROOF PROTECTION

## Cleaning & Maintenance

### ► Vital

#### PROTECTIVE LATEX GLOVE



- Excellent dexterity from the suppleness of natural latex
- Good resistance
- Comfortable cotton flock-lining

#### DID YOU KNOW?

The Vital 115/117/124/186 gloves have passed ISO 16604: 2004 (Method B), enabling to claim protection against viruses.



#### MATERIAL

Natural latex

#### INSTRUCTIONS FOR USE

Splashes

Intermittent wear

#### STANDARDS

Category 3



► Vital 115



► Vital 117



► Vital 124



► Vital 186

Product Name	Material	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Vital 115					Pink			6 7 8 9	
Vital 117	Natural latex	30,5	0.35	Straight sleeve	Blue	Flocked	Embossed texture	6 7 8 9 10	100 pairs/carton
Vital 124					Yellow				
Vital 186					Green				

### ► Ultranitril 454

#### HYPOALLERGENIC MAINTENACE GLOVE & CHEMICAL PROTECTION



- Outstanding precision dexterity, due to the qualities of MAPA's unique synthetic material
- Good handling of slippery objects, due to the embossed texture
- Optimal comfort: anatomical shape

#### MATERIAL

Nitrile - Synthetic elastomer

#### INSTRUCTIONS FOR USE

Splashes

Short wear

#### STANDARDS

Category 3



LATEX-FREE

Product Name	Material	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Ultranitril 454	Nitrile	31	0.35	Straight sleeve	Blue	Flocked	Embossed texture	6 7 8 9 10	50 pairs/carton



# LIQUIDPROOF PROTECTION

## Cleaning & Maintenance

NEW

### ► Alto 405 Activated

A UNIQUE LIQUIDPROOF GLOVE EMBEDDING  
THE PATENTED ANTIMICROBIAL MINERAL TECHNOLOGY



- Ideal for cleaning tasks in environments where proliferation of microbes is a key issue



#### Protective shield

##### SURFACE PROTECTION:

**limited** risk of cross microbial contamination from surface to surface

##### USER PROTECTION:

**hands protected** against viruses (EN 374-5) and common aggressive chemicals (EN 374-1)



#### Long-lasting action

The antimicrobial action lasts for the expected lifetime of the glove



#### Sustainability

The biocidal active components are produced by **green chemistry**  
Optimised individual packaging so as to **limit plastic waste**




#### Comfort

Cotton flock-lined improves **comfort** and **limits perspiration** in the glove

Anatomical design provides **ease of movement**

**Good grip** in wet environments thanks to the external non-slip texture



Destruction of  
**99%\* VIRUSES**  
& **99.99%\*\* BACTERIA**

Cleaning  
Excellence  
Conference  
& Awards

Shortlisted  
2023

Glove surface is  
activated with the  
technology

Safe for use in a variety of hygiene critical environments



CLEANING TASKS  
IN PUBLIC AREAS



CLEANING AND TREATMENT  
OF HEALTH AREAS



HANDLING HOUSEHOLD  
DETERGENTS

Product Name	Material	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Alto 405 Activated	Natural latex and polychloroprene	33	0.70	Straight sleeve	Blue/Yellow	Flocked	Embossed texture	6 7 8 9 10	100 pairs/carton

\*Results based on ISO 21702:2019 - \*\*Results based on JIS Z 2801 standard

pulote  
ANIMAL PROTECTION  
FOOD SAFETY

Designed in partnership with

### ► Alto 260

A GOOD CHOICE WHEN DEXTERITY AND CHEMICAL PROTECTION IS NEEDED FOR EXTENDED WEAR

- Good protection against chemical products
- Flock-lining adds comfort and perspiration absorption
- Embossed textured grip ensures good handling of slippery objects

#### MATERIAL

Natural latex

#### STANDARDS

Category 3



### ► Alto 298

GOOD MECHANICAL PERFORMANCE FOR LONG-LASTING CHEMICAL PROTECTION

- Longer service life and good impact protection, due to the thickness of the material
- Forearm protection

#### MATERIAL

Natural latex

#### STANDARDS

Category 3



### ► Alto 299

GOOD MECHANICAL PERFORMANCE FOR LONG-LASTING CHEMICAL PROTECTION

- Longer service life and good impact protection, due to the thickness of the material
- Maintenance in wet environment

#### MATERIAL

Natural Latex

#### STANDARDS

Category 3



### ► Alto 415

MAINTENANCE GLOVE FINESSE OF TOUCH


- Tactile sensitivity, due to the gloves reduced thickness
- Comfort and perspiration absorption, due to the cotton flock-lining
- Good grip, due to the non-slip embossing

#### MATERIAL

Latex Mix

#### STANDARDS

Category 3



Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Alto 260	32	0.80	Straight sleeve	Black	Chlorinated	Embossed texture	7 8 9 10 11	50 pairs/carton
Alto 299	31	0.90		Orange	Flocked		7 8 9 10	
Alto 298	43	1.05		Blue	Chlorinated	Smooth	8 9 10	50 pairs/carton
Alto 415	32	0.60		Black	Flocked	Embossed texture	6 7 8 9 10 11	100 pairs/carton



# THERMAL PROTECTION

## Hot and cold environments

### ► TempCook 476

#### PROTECTION AGAINST HEAT

- The light white/cream colour coding meets the catering industry clothing standards
- Thermal protection up to 250°C\*
- The exterior of the glove can be washed for improved hygiene
- 100% liquidproof
- Resistant to oils, greases and common detergent products
- Long cuff for forearm protection
- Suitable for contact with all types of food



LATEX-FREE

#### MATERIAL


Nitrile. Guaranteed silicone-free

#### INSTRUCTIONS FOR USE

- **Wet** environments
- **Moderate oily** environments
- **Chemical** environments
- Contact time **prolonged**

#### STANDARDS

Category 3



Up to 150°C

Product Name	Length (cm)	Colour	Internal finish	External Finish	Size	Packaging
TempCook 476	45	White	Knitted thermal protection	Embossed texture	7 9 10	6 pairs/carton

\*From 150°C, the product may become stiffer and the colour may change, but the performances are not affected.

### ► Templice 700

#### PROTECTION AGAINST COLD ENVIRONMENT

- Insulated gloves that protects you from the cold while maintaining total comfort and flexibility
- Grip & Proof technology ensures :
  - An excellent grip when handling in wet environment, which reduces muscle fatigue and increases productivity
  - A water-repellent protection to keep your hands dry for maximum comfort
- Insulating and water-repellent textile support: your hands remain dry when working in a damp environment
- Washable up to 5 times at 60°C, allowing to extend glove lifespan, reducing costs and waste



GRIP & PROOF TECHNOLOGY

#### MATERIAL

Nitrile GRIP & PROOF coating. Gauge 15

#### INSTRUCTIONS FOR USE

- **Wet** environments
- **Long** life performance
- - 10°C

#### STANDARDS

Category 2



Product Name	Length (cm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Templice 700	24 - 27	Knitted cuff	Black/ Blue	Seamless knitted lining	3/4 Nitrile coating	7 8 9 10	72 pairs/carton

# DISPOSABLE PROTECTION

## Disposable gloves

### ► Solo 977

IDEAL SPLASH PROTECTION FOR USE IN THE CHEMICAL INDUSTRY



- Good compromise between thickness, suppleness and resistance
- Good grip due to the embossed texture
- Suitable for a wide range of chemicals
- Chlorinated for a better donning
- AQL Liquidproofness : 0.65

#### MATERIAL

Nitrile

#### STANDARDS

Category 3



### ► Solo 999

EXCELLENT MECHANICAL RESISTANCE, IDEAL IN OILY ENVIRONMENTS



- Excellent dexterity thanks to reduced material thickness.
- Long cuff 29.5cm
- Virus protection
- Powder free finish ensures easy donning and doffing.
- Recommended for persons sensitive to natural rubber proteins.
- Good grip due to the embossed texture

#### MATERIAL

Nitrile

#### STANDARDS

Category 3



### ► Solo black 935

GOOD COMBINATION BETWEEN DEXTERITY AND COMFORT FOR OPTIMAL PROTECTION



- Thin and flexible glove with a good sensitivity at fingertips to optimise comfort and dexterity
- Beaded cuff for easy donning
- Latex free to reduce the risk of allergies
- Powder free treatment
- Dark colour limits glove staining in dirty environment and supports a longer lasting use

#### MATERIAL

Vinyl/Nitrile

#### STANDARDS

Category 3



Product Name	Length (cm)	Thickness (mm)	Colour	Internal Finish	External Finish	Size	Packaging
Solo 977	24	0.13	Green	Chlorinated	Embossed texture	6 7 8 9 10	1000 gloves/carton
Solo 999	29.5	0.10	White			6 7 8 9	
Solo black 935	24	0.08	Black	Non powdered	Smooth	6 7 8 9	

# LIQUIDPROOF PROTECTION

## Chemical protection

NEW

### ► Ultranitril 410

IDEAL GLOVE FOR OPERATIONS WHERE CUT & CHEMICAL PROTECTION ARE REQUIRED

- Excellent grip when handling very oily parts
- Reinforced protection of the forearm thanks to its longer cuff
- Great comfort and flexibility to reduce muscle fatigue

#### MATERIAL

PVC/Nitrile-Gauge 15

#### STANDARDS

Category 3  
ISO 13997:  
14N



### ► Ultranitril 480

DIVING GLOVE ULTRA LONG PROTECTION

- Longer service life: excellent mechanical resistance (abrasion, perforation)
- Good grip on slippery objects, due to the embossed texture
- Forearm protection 46 cm long cuff

#### MATERIAL

Nitrile

#### STANDARDS

Category 3



### ► UltraNeo 420

EXTREMELY SUPPLE WITH FREEDOM OF MOVEMENT FOR STANDARD CHEMICAL PROTECTION

- Freedom of movement, due to the supple quality of the neoprene and the comfort of the cotton flock-lining
- Good grip, due to embossed texture

#### MATERIAL

Polychloroprene and natural latex

#### STANDARDS

Category 3



### ► UltraNeo 341

COMFORT WITH STANDARD CHEMICAL PROTECTION

- Suitable for long-term wear; added comfort of textile support
- Longer service life for heavy-duty work: good mechanical resistance
- Forearm protection

#### MATERIAL


Polychloroprene (Neoprene)

#### STANDARDS

Category 3



0334




Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Ultranitril 410	35	1.70	Straight sleeve	Black Yellow	Seamless textile support	Embossed texture	7 8 9 10 11	48 pairs/carton
Ultranitril 480	46	0.55	Straight cuff	Green	Chlorinated			12 pairs/carton
UltraNeo 420	31	0.75		Black	Flocked		6 7 8 9 10	100 pairs/carton
UltraNeo 341	38	1.45	Feston cuff		Textile support	Smooth	8 9 10 11	50 pairs/carton



# For more information

[www.mapa-pro.co.uk](http://www.mapa-pro.co.uk)

[www.spontex-pro.com](http://www.spontex-pro.com)



And all our news to discover find out more about our products and our two brands...

## ► Download center

at your disposal to download product documentation (product images, technical data sheets brochures, etc.).

## ► Selection guides

by segment to help you choose the right product.

## ► Glossaries


helping you to better understand MAPA SPONTEX PROFESSIONAL topics.

**MAPA**<sup>®</sup>  
PROFESSIONAL

**Spontex**  
PROFESSIONAL



Find all our  
information  
on your smartphone



## To contact us

[sales.mapauk@newellco.com](mailto:sales.mapauk@newellco.com)

MAPA SPONTEX PROFESSIONAL  
C/O CITIBASE WORCESTER  
OAK HOUSE BRIDGWATER ROAD,  
WORCESTER, WR4 9FP  
UNITED KINGDOM  
PHONE: +44 (0) 1905 450303/343